

## **ScienceDirect**



# Peer influence effects on risk-taking and prosocial decision-making in adolescence: insights from neuroimaging studies

Jorien van Hoorn<sup>1,2</sup>, Andrew J Fuligni<sup>3,4,5</sup>, Eveline A Crone<sup>1,2</sup> and Adriana Galván<sup>3</sup>



Peer influence plays a key role in health-compromising risky behaviors during adolescence. However, there is emerging evidence indicating that peer influence can also lead to positive psychosocial outcomes, such as learning, exploration and prosocial behavior. This review highlights the maladaptive and adaptive nature of peer influence and identifies recent functional neuroimaging research investigating the underlying neural mechanisms thereof. In the context of risk-taking, peer effects have been associated with amplified motivational circuitry, including ventral striatum. The social brain (medial prefrontal cortex, temporo-parietal junction and superior temporal sulcus) has been related to peer influence in neutral/ prosocial contexts. We propose that peer influence may enhance activation in task-related brain areas; and that the interplay between the motivational circuitry and social brain regions should be investigated to advance our knowledge about the neural underpinnings of peer influence.

#### Addresses

- <sup>1</sup> Institute of Psychology, Leiden University, The Netherlands
- <sup>2</sup> Leiden Institute for Brain and Cognition, Leiden University, The Netherlands
- Department of Psychology, University of California, Los Angeles, USA
  Department of Psychiatry and Biobehavioral Sciences, University of
- <sup>5</sup> Semel Institute for Neuroscience and Human Behavior, University of California, Los Angeles, USA

Corresponding author: Galván, Adriana (agalvan@ucla.edu)

#### Current Opinion in Behavioral Sciences 2016, 10:59-64

This review comes from a themed issue on **Neuroscience of education** 

Edited by Dénes Szűcs, Fumiko Hoeft and John DE Gabrieli

For a complete overview see the Issue and the Editorial

Available online 19th May 2016

California, Los Angeles, USA

http://dx.doi.org/10.1016/j.cobeha.2016.05.007

2352-1546/© 2016 Elsevier Ltd. All rights reserved.

#### Introduction

Adolescence is a developmental phase characterized by significant changes in social cognition, during which social evaluation by peers as well as the need to feel accepted become highly salient [1,2]. A vast literature indicates


that health-compromising risky behaviors increase when adolescents are with their peers [3,4]. However, recent work finds that the influence of peers may be positive as well, for example in reinforcing prosocial development [e.g., 5]. Such findings suggest that adolescence may be a developmental period with particular sensitivity to the social context [2,6], which may either be either beneficial or detrimental for social development.

Neuroimaging studies have started to elucidate the neural underpinnings of peer influence and risk-taking in the adolescent brain. One theoretical framework that guided this research is the maturational imbalance model of adolescent risk-taking [7,8]. This model posits that prefrontal control systems in the developing brain show protracted maturation, whereas the motivational circuitry associated with reward and socio-emotional processing, such as ventral striatum (VS) and amygdala, is hyperactive in adolescence. Peer presence during risky decision-making is found to enhance reward-related VS activity in adolescents, but not in (young) adults [9\*\*] (see Figure 1). Below we summarize studies that have examined how peers influence reward sensitivity in different types of risky and prosocial behavior.

A second line of research shows that peer influence is associated with heightened activation in areas within the social brain network [10°,11°°,12°°,13]. This network, involved in thinking about the self and others, encompasses cortical structures such as medial prefrontal cortex (mPFC), temporo-parietal junction (TPJ), and superior temporal sulcus (STS) [reviewed in 2,14]. These social brain areas are distinct from the areas described in the imbalance model, and these two lines of research are typically described separately (see Figure 1). It is not well understood how the motivational circuitry and social brain areas interact in shaping the peer influence process.

In this review, we first outline behavioral studies that address peer influence in the domain of risk-taking behavior and extend this line of research into the prosocial domain. Then, we discuss evidence of amplified activity in the motivational circuitry on the one hand, and social brain regions as underlying processes for peer influence on the other. We propose that it is important to investigate the interplay between the motivational circuitry and social brain network in the neural underpinnings of peer influence.

Figure 1



Brain regions previously implicated in risk-taking (indicated in red stripe pattern) and social information processing (indicated in blue zigzag pattern). Abbreviations: mPFC, medial prefrontal cortex; STS, superior temporal sulcus; TPJ, temporo-parietal junction; VS, ventral striatum.

# Risk-taking behavior and beyond: the adaptive side of peers

Peer influence is a phenomenon often associated with negative connotations. There is substantial evidence showing that peers are a crucial factor in the increase of health-risk behaviors during adolescence, such as smoking, substance use and risky driving [3,4]. The majority of experimental research corroborates these real-world trends, showing that peers increase risk-taking in laboratory tasks during adolescence [9°\*,15,16°,17°,18–20], although other studies report mixed findings [see [21,22]].

More recently, researchers have started to present adolescence as a window for change and opportunity rather than solely a period of vulnerability [23\*\*]. In line with this perspective, peer influence can be characterized as a socialization process that may either increase maladaptive risk-taking behaviors or facilitate learning and adaptive prosocial development. For instance, peer presence during late adolescence is linked to more exploratory behavior and higher learning rates from positive as well as negative task feedback [24\*\*]. Although these findings imply that peer presence is adaptive for learning, such outcomes may be dependent on characteristics, including task difficulty and identity of the observer [see 25].

In line with these perspectives, developmental experimental research has ventured in the domain of prosocial behavior and shows promising evidence that peers can promote prosocial behaviors during adolescence [5,26]. One study investigated peer effects on public goods donations during adolescence. It showed that prosocial behavior over the task changed in line with social norms from peers (i.e. an increase after prosocial peer feedback and a decrease after antisocial peer feedback) [5, see [27,28] for background on social norms]. Moreover,


another study concluded that peers positively affect the intention to volunteer in adolescence when they endorse volunteering, but even more so when these peers have a high status than a low status [26]. There is also evidence from non-experimental studies suggesting links between peer influence and prosocial outcomes [e.g. 29–31, for a review on social network analysis see [32]]. The next section identifies the brain regions responsible for the above findings, particularly enhanced motivational circuitry and social brain regions.

# Peer influence: amplified motivational circuitry

The interconnections between ventral striatum (VS), involved in learning and prediction of rewarding outcomes, and amygdala, implicated in associative learning and determining emotional significance, lead to motivated and goal-oriented actions [reviewed in 6]. In line with the imbalance model, VS activity in response to reward peaks during adolescence [33–36] and is linked to self-reported risk-taking behavior [37,38]. Research suggests that laboratory-based risk taking is also associated with enhanced VS activity, a phenomenon that is exaggerated in the presence of peers [9\*\*].

Chein and colleagues asked adolescents, young adults and adults to play a computerized risky driving task either alone or with a peer present ([9\*\*]; see Figure 2a). With peers present, risk-taking behavior increased in adolescents - but not (young) adults — and this was associated with enhanced activation in the VS and orbitofrontal cortex. This age-specific peak in reward-related activity is also present during a gambling task with no risk involved [39], and thus occurs even outside the context of risky decision-making. These neuroimaging findings are consistent with peer effects in behavioral studies reporting that peer presence and influence are related

Figure 2



(a) Ventral striatum activity in response to reward is enhanced when peers observe risky decision-making for adolescents, but not young adults or adults [9\*\*; reprinted with permission from authors]. (b) dmPFC, precuneus, TPJ and STS show heightened activation during prosocial decisionmaking with peer evaluation in adolescence [11\*\*; reprinted with permission from authors].

to an increased preference for smaller immediate rewards over larger long-term rewards [18,20,40]. Taken together, these findings suggest that the presence of peers increases the motivational salience of rewards, likely motivating adolescents to seek out opportunities for reward [9\*\*].

### Peer influence: implications of the social brain

Consistent evidence has demonstrated that the social brain network is comprised of dorsal and ventral medial PFC, TPJ, precuneus and STS [2,10°,14,41]. Although the broader medial PFC is implicated in social cognition, the peak in functional activity during adolescence is generally observed in dorsal medial PFC [42]. These social brain areas also exhibit protracted structural development throughout adolescence [43], but it is currently not known how exactly these regions develop across adolescence. The social brain has been the focus of recent investigations regarding social influence more broadly (i.e. from different sources) and outside the context of risk-taking behavior.

Basic peer evaluation elicits uniquely heightened mPFC activation and physiological arousal in adolescents relative to children or adults, even without performing a laboratory task [10°]. Furthermore, one study investigated the neural correlates of influence from peers and parents on artwork ratings in adolescence [12\*\*]. Influence from both peers and parents elicited activity in a more extensive network of brain regions, including mPFC and TPJ (mentalizing), vmPFC (reward-related processing) and vIPFC (self-control). Thus, peer and parental influence in the context of this relatively neutral task seem to share the same underlying networks in adolescence [12<sup>••</sup>]. Collectively, these studies point to the recruitment of mPFC and other (social) brain areas in peer and parent influence, which is consistent with previous studies in adults that also revealed an important role for mPFC in social influence [13,44].

These neural findings align with developmental comparisons in the domain of social influence on risk-taking by Knoll and colleagues, which suggest that peers are more influential than adults only in early adolescence (12-14 year-olds) [16°]. Although both parents and peers are an important context for socialization during the adolescent years, each can provide a very different perspective with distinct courses of action [12\*\*]. Therefore, it is important for future research to further clarify developmental patterns and investigate the impact of different sources of influence in various contexts [also see [45] for a recent review on adolescent neurobiological susceptibility].

To study if these social cognition processes also influence prosocial behavior, a recent neuroimaging study assessed peer effects on public goods donations during adolescence [11\*\*]. Donation choices with a spectator group present, as opposed to donations when playing alone, revealed heightened activity in dmPFC, precuneus, TPJ and STS. However, no increase was found for reward-related processing (see Figure 2b). These findings highlight the role of such mentalizing regions in peer influence and are consistent with research relating to the effect of prosocial behavior toward the family [46°] and public goods donations in adults [47].

Prosocial decision-making during adolescence has previously been linked to activity in both the social brain network (e.g. taking the perspective of others) and reward-related regions (possibly reflecting the rewarding nature of prosocial behavior) [48–50]. The social brain and reward-related regions have connections to the control circuits, such as dIPFC to control selfish or self-oriented decisions. Taken together, these studies suggest that peers may influence prosocial decision-making by triggering regions of the social brain network that have been shown to be implicated in prosocial behavior.

#### **Conclusions and future directions**

This review highlights emerging research illustrating that peer influence in adolescence can be characterized as a socialization process that leads to either healthcompromising risky behaviors (i.e. risky driving) or positive psychosocial outcomes (i.e., learning, exploration and prosocial behaviors). The latter is a promising basis for school-based interventions to promote prosocial behaviors [see e.g., Good Behavior Game 51]. This notion of peer influence having both negative and positive effects on social development is consistent with prior studies, which indicate that adolescents are specifically attuned to the social context. An important future direction will be to test if these effects are uniquely social (i.e. more sensitivity to social than non-social signals) or

illustrate a general enhanced sensitivity to learning signals [2].

On a neural level, peer influence during risk-taking behavior elicits heightened activation in subcortical reward-processing areas, mainly ventral striatum (VS). Peers also evoke activation in the social brain network, including cortical social brain areas (medial PFC and TPJ) during prosocial decision-making. We propose that peer influence may *heighten* activity in task-relevant brain areas, contingent on the type of behavior. Heightened activity may be reflected as enhanced reward-related processing in VS during risk-taking behavior, and in social brain areas such as mPFC and TPJ in the context of prosocial behavior [11\*\*]. There are suggestions in the literature that heightened activity can be interpreted as greater activation of the psychological constructs associated with these regions [e.g. 37]. Future studies should focus on the relation between brain activation and behavioral outcomes, to unravel in more detail how neural activity relates to the underlying psychological constructs.

Currently, it is unclear how the motivational circuit and social brain network interact to shape peer influence processes. It is crucial to study these networks and their interactions collectively rather than separately. This may be possible with a task that draws upon both processes to begin with (e.g., gambling for a friend [52]), to which a peer influence condition can be added. Moreover, most studies have not compared peer influence to other sources of influence, such as parents. In the neutral domain, peer and parental influence seem to rely on the same neural basis [12\*\*]. More research is needed to replicate these findings and to compare sources of influence in different contexts in order to draw conclusions about the specificity of the current findings.

There are several other outstanding questions for future research. For instance, to what extent do peers affect cognitive control during adolescence? Initial evidence shows that adolescent — but not adult — performance on a cognitive relational reasoning task is affected by an audience [25°]. Taking a slightly different approach, one recent study related brain activation in control systems (inferior frontal gyrus and basal ganglia) during a gono-go task to simulated driving behavior with a peer one week later [53]. Activation in control systems was predictive for safer driving when a cautious peer confederate was present; but not with a risk-encouraging peer confederate. This context-dependent activation may implicate that neural resources are used differently depending on characteristics of the peer [13].

By further researching the effects of peer influence, we may be able to assist adolescents in navigating a complex social phase of their lives [2,6]. Importantly we can begin to gain traction on identifying overlapping and

non-overlapping neural systems that contribute to characteristic adolescent behavior.

#### Conflicts of interest

Nothing declared.

#### **Funding**

This research is funded by a NWO Research Talent Grant (406-11-019) awarded to EAC and IVH. Leiden University Fund/Den Dulk-Moermans (5526) sponsored research visit JVH to University of California, Los Angeles. Funding to AJF and AG from the National Institute of Child Health and Human Development (R01HD057164-S).

### **Acknowledgements**

The authors would like to thank Anika Bexkens for her helpful comments on a previous version of this manuscript.

## References and recommended reading

Papers of particular interest, published within the period of review, have been highlighted as:

- · of special interest
- of outstanding interest
- Somerville LH: The teenage brain: sensitivity to social evaluation. Curr Dir Psychol Sci 2013, 22:121-127.
- Blakemore SJ, Mills KL: Is adolescence a sensitive period for sociocultural processing? Ann Rev Psychol 2014, 65:187-207.
- Albert D, Chein J, Steinberg L: The teenage brain: peer influences on adolescent decision-making. Curr Dir Psychol Sci 2013, 22:114-120.
- Brechwald WA, Prinstein MJ: Beyond homophily: a decade of advances in understanding peer influence processes. J Res Adolesc 2011, 21:166-179.
- Van Hoorn J, van Dijk E, Meuwese R, Rieffe C, Crone EA: Peer influence on prosocial behavior in adolescence. J Res Adolesc 2014 http://dx.doi.org/10.1111/jora.12173. Advance online publication.
- Casey BJ: Beyond simple models of self-control to circuitbased accounts of adolescent behavior. Ann Rev Psychol 2015, 66:295-319.
- Somerville LH, Jones RM, Casey BJ: A time of change: behavioral and neural correlates of adolescent sensitivity to appetitive and aversive environmental cues. Brain Cogn 2010, **72**:124-133
- Steinberg L: A dual systems model of adolescent risk-taking. Dev Psychobiol 2010, 52:216-224.
- Chein J, Albert D, O'Brien L, Uckert K, Steinberg L: Peers increase adolescent risk taking by enhancing activity in the brain's reward circuitry. Dev Sci 2011, 14:F1-F10.

This paper demonstrates that peer presence during risky decision-making elicits activation in reward-processing areas (ventral striatum and orbitofrontal cortex) in adolescents, but not young adults or adults.

10. Somerville LH, Jones RM, Ruberry EJ, Dyke JP, Glover G, Casey BJ: Medial prefrontal cortex and the emergence of selfconscious emotion in adolescence. Psych Sci 2013, 24:1554-

This paper shows that basic peer observation without performing a task elicits heightened activation in medial PFC through adolescence relative to childhood, which persists into adulthood (i.e. adolescent-emergent pattern).

- Van Hoorn J, van Dijk E, Güroğlu B, Crone EA: Neural correlates
- of prosocial peer influence on public goods donations during

adolescence. SCAN 2016 http://dx.doi.org/10.1093/scan/ nsw013. Advance online publication..

This manuscript demonstrates that in adolescence peer presence during prosocial decision-making is associated with increased activation in social cognition regions, including dorsal medial PFC, precuneus, TPJ

- 12. Welborn BL, Lieberman MD, Goldenberg D, Fuligni AJ, Galván A,
- Telzer EH: Neural mechanisms of social influence in adolescence. SCAN 2016 http://dx.doi.org/10.1093/scan/ nsv095. Advance online publication..

This paper shows that social influence from parents and peers is associated with activation in mentalizing (medial PFC and TPJ), rewardprocessing (ventral medial PFC) and cognitive control (ventral lateral PFC) regions during adolescence. Peer and parental influence rely on the same neural mechanisms.

- 13. Cascio CN, Scholz C, Falk E.B.: Social influence and the brain: persuasion, susceptibility to influence and retransmission. Curr Opin Behav Sci 2015, 3:51-57.
- 14. Blakemore S: The social brain in adolescence. Nat Rev Neurosci 2008. 9:267-277.
- 15. Gardner M, Steinberg L: Peer influence on risk taking, risk preference, and risky decision making in adolescence and adulthood: an experimental study. Dev Psych 2005, 41:625-635.
- Knoll LJ, Magis-Weinberg L, Speekenbrink M, Blakemore SJ: Social influence on risk perception in adolescence. Psych Sci 2015 http://dx.doi.org/10.1177/0956797615569578. Advance online publication.

This paper reveals that social influence on risk preference changes over development. Most age groups (ranging between age 8 and 59) conform more to adult social influence than adolescent social influence. Only early adolescents (12-14 year olds) were more sensitive to social influence from peers than adults.

- Munoz Centifanti LC, Modecki KL, MacLellan S, Gowling H:
- Driving under the influence of risky peers: an experimental study of adolescent risk-taking. J Res Adolesc 2014 http:// dx.doi.org/10.1111/jora.12173. Advance online publication.

This paper demonstrates that during a computerized risky driving game, adolescents experienced more crashes when they had passengers present who actively provided peer feedback with a strong preference for risk-taking. Although this effect was also present in the passive peer condition, it was less strong compared to the active influence condition.

- 18. O'Brien L, Albert D, Chein J, Steinberg L: Adolescents prefer more immediate rewards when in the presence of their peers. J Res Adolesc 2011, 21:747-753.
- 19. Smith AR, Chein J, Steinberg L: Peers increase adolescent risk taking even when the probabilities of negative outcomes are known. Dev Psy 2014, 50:1564-1568.
- 20. Weigard A, Chein J, Albert D, Smith A, Steinberg L: Effects of anonymous peer observation on adolescents' preference for immediate rewards. Dev Sci 2014, 17:71-78.
- 21. Haddad AD, Harrison F, Norman T, Lau JYF: Adolescent and adult risk-taking in virtual social contexts. Front Psychol 2014, 18:1476.
- 22. Lourenco FS, Decker JH, Pedersen GA, Dellarco DV, Casey BJ, Hartley CA: Consider the source: adolescents and adults similarly follow older adult advice more than peer advice. PLoS ONE 2015, 10:e0128047 http://dx.doi.org/10.1371/ journal.pone.0128047.
- Crone EA, Dahl RE: Understanding adolescence as a period of social-affective engagement and goal flexibility. Nat Rev Neurosci 2012, 13:636-650.

This paper shows that during late adolescence peer presence may have positive effects. During the Iowa Gambling task peer presence was linked to more exploratory behavior and higher learning rates from positive and negative task feedback.

- Silva K, Shulman E, Chein J, Steinberg L: Peers increase
- adolescents' exploratory behavior and sensitivity to positive and negative feedback. J Res Adolesc 2015 http://dx.doi.org/ 10.1111/jora.12173. Advance online publication.

This paper shows that during late adolescence peer presence may have positive effects. During the lowa Gambling task peer presence was linked to more exploratory behavior and higher learning rates from positive and negative task feedback.

Wolf LK, Bazargani N, Kilford EJ, Dumontheil I, Blakemore SJ: The audience effect in adolescence depends on who's looking over your shoulder. J Adolesc 2015, 43:5-14.

This paper provides initial evidence that peers may have an effect on cognitive control. Adolescent performance on a cognitive relational reasoning task was affected by an audience, whereas adult performance was not affected

- Choukas-Bradley S, Giletta M, Cohen GF, Prinstein MJ: Peer influence, peer status and prosocial behavior: an experimental investigation of peer socialization of adolescents' intentions to volunteer. J Youth Adolesc 2015, 44:2197-2210.
- Cialdini RB, Trost MR: Social influence: social norms, conformity, and compliance. In Handbook of Social Psychology. Edited by Gilbert D, Fiske S, Lindzey G. McGraw-Hill; 1998:151-192.
- McDonald RI, Crandall CS: Social norms and social influence. Curr Opin Behav Sci 2015. 3:147-151.
- Barry CM, Wentzel KR: Friend influence on prosocial behavior: the role of motivational factors and friendship characteristics. Dev Psy 2006, 42:153-163.
- Wentzel KR, Filisetti L, Looney L: Adolescent prosocial behavior: the role of self-processes and contextual cues. Child Dev 2007, 78:895-910.
- Ellis WE, Zabartany L: Peer group status as a moderator of group influence on children's deviant, agressive and prosocial behavior. Child Dev 2007, 78:1240-1254.
- 32. Veenstra R, Dijkstra JK, Steglich C, van Zalk MHW: **Network-behavior dynamics**. *J Res Adolesc* 2013, **23**:399-412.
- Braams BR, van Duijvenvoorde ACK, Peper JS, Crone EA: Longitudinal changes in adolescent risk-taking: a comprehensive study of neural responses to rewards, pubertal development and risk-taking behavior. J Neurosci 2015, 35:7226-7238.
- Crone EA, van Duijvenvoorde ACK, Peper JS: Neural contributions to risk taking in adolescence: developmental changes and individual differences. J Child Psychol Psychiatry, Advance online publication. (see http://www. brainanddevelopmentlab.nl/index.php/publications).
- Silverman MH, Jedd K, Luciana M: Neural networks involved in adolescent reward processing: an activation likelihood estimation meta-analysis of functional neuroimaging studies. NeuroImage 2015 http://dx.doi.org/10.1016/ j.neuroimage.2015.07.083. Advance online publication.
- 36. Willoughby T, Good M, Adachi PJC, Hamza C, Tavernier R: Examining the link between adolescent brain development and risk taking from a social-developmental perspective. *Brain Cogn* 2014, 83:315-324.
- Galván A, Hare T, Voss H, Glover G, Casey BJ: Risk-taking and the adolescent brain: who is at risk? Dev Sci 2007, 10:F8-F14.
- Telzer EH, Fuligni AJ, Lieberman MD, Galván A: Meaningful family relationships: neurocognitive buffers of adolescent risk taking. J Cogn Neurosci 2013, 25:374-387.

- Smith AR, Steinberg L, Strang N, Chein J: Age differences in the impact of peers on adolescents' and adults' neural response to reward. Dev Cogn Neurosci 2015, 11:75-82.
- Gilman JM, Curran MT, Calderon V, Stoeckel LE, Evins AE: Impulsive social influence increases impulsive choices on a temporal discounting task in young adults. PLoS ONE 2014, 9:1-8.
- 41. Frith CD, Frith U: **Mechanisms of social cognition**. *Ann Rev Psychol* 2012, **63**:287-313.
- Burnett S, Sebastian C, Cohen Kadosh K, Blakemore SJ: The social brain in adolescence: evidence from functional magnetic resonance imaging and behavioral studies. Neurosci Biobehal Rev 2011, 35:1654-1664.
- Mills KL, Lalonde F, Clasen LS, Giedd JN, Blakemore SJ: Developmental changes in the structure of the social brain in late childhood and adolescence. SCAN 2014, 9:123-131.
- 44. Izuma K: The neural basis of social influence and attitude change. Curr Opin Neurobiol 2013, 23:456-462.
- Scriber RA, Guyer AE: Adolescent neurobiological susceptibility to social context. Dev Cog Neurosci 2015 http:// dx.doi.org/10.1016/j.dcn.2015.12.009.
- 46. Telzer EH, Masten CL, Berkman ET, Lieberman MD, Fuligni AJ:
  Neural regions associated with self control and mentalizing are recruited during prosocial behaviors towards the family. Neurolmage 2011, 58:242-249.

This paper provides evidence that during adolescence prosocial behaviors in the context of family are associated with mentalizing regions and cognitive control.

- Bault N, Pelloux B, Fahrenfort JJ, Ridderinkhof KR, van Winden F: Neural dynamics of social tie formation in economic decisionmaking. SCAN 2015, 10:877-884.
- Telzer EH, Masten CL, Berkman ET, Lieberman MD, Fuligni AJ: Gaining while giving: an fMRI study of the rewards of family assistance among White and Latino youth. Soc Neurosci 2010, 5:508-518.
- Van den Bos W, van Dijk E, Westenberg PM, Rombouts SARB, Crone EA: Changing brains, changing perspectives: the neurocognitive development of reciprocity. Psych Sci 2011, 22:60-70.
- Crone EA: Considerations of fairness in the adolescent brain. Child Dev Perspect 2013, 7:97-103.
- Van Lier PAC, Huizink AC, Vuijk P: The role of friends' antisocial behavior in the development of children's tobacco experimentation: results from a preventive intervention study. J Abnorm Child Psychol 2011, 39:35-47.
- Braams BR, Peters S, Peper JS, Güroğlu B, Crone EA: Gambling for self, friends, and antagonists: differential contributions of affective and social brain regions on adolescent reward processing. NeuroImage 2014, 100:281-289.
- Cascio CN, Carp J, O'Donnell MB, Tinney FJ Jr, Bingham CR, Shope JT, Ouimet MC, Pradhan AK, Simons-Morton BG, Falk EB: Buffering social influence: neural correlates of response inhibition predict driving safety in the presence of a peer. J Coan Neurosci 2015, 27:83-95.